



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

**Nathanael Roberts
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057**

6/29/2022

Phone: (856) 840-8800
Fax: (856) 840-8815

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 6/10/2022. The results are tabulated on the attached data pages for the following client designated project:

22-666 / Oakwood Ave School

The reference number for these samples is EMSL Order #012209515. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Owen McKenna, Chemistry Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.
NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012209515
 CustomerID: TTIE54
 CustomerPO: 034963
 ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/10/2022 09:20 AM

Project: 22-666 / Oakwood Ave School

Analytical Results

Client Sample Description OAE-BF-H125-3 **Collected:** 6/10/2022 **Lab ID:** 012209515-0001
 BSMT NEAR ROOM 125 5:15:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 1.23 | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:11 |

Client Sample Description OAE-BF-HNSE-4 **Collected:** 6/10/2022 **Lab ID:** 012209515-0002
 BSMT HALL NEAR NURSE 5:17:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | ND | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:13 |

Client Sample Description OAE-SF-NSE-5 **Collected:** 6/10/2022 **Lab ID:** 012209515-0003
 NURSE'S OFFICE 5:18:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 1.53 | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:15 |

Client Sample Description OAE-SF-FAC-6 **Collected:** 6/10/2022 **Lab ID:** 012209515-0004
 1ST FLR TEACHERS LOUNGE 5:22:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | 2.31 | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:17 |

Client Sample Description #N/A **Collected:** 6/10/2022 **Lab ID:** 012209515-0005
 1ST FLR HALL NEAR RM 5 5:20:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | ND | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:19 |

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 012209515

CustomerID: TTIE54

CustomerPO: 034963

ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/10/2022 09:20 AM

Project: 22-666 / Oakwood Ave School

Analytical Results

Client Sample Description OAE-BF-HEL-8 **Collected:** 6/10/2022 **Lab ID:** 012209515-0006
 1ST FLOOR HALL NEAR ELEVATOR 5:20:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | ND | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:21 |

Client Sample Description OAE-BF-H11a-12 **Collected:** 6/10/2022 **Lab ID:** 012209515-0007
 2ND FLOOR HALL NEAR ROOM 11a 5:25:00 AM

| Method | Parameter | Result | RL Units | Prep Date & Analyst | Analysis Date & Analyst |
|---------------|-----------|--------|-----------|---------------------|-------------------------|
| METALS | | | | | |
| 200.8 | Lead | ND | 1.00 µg/L | 6/23/2022 VD | 6/23/2022 VD 21:31 |

Definitions:

- MDL - method detection limit
- J - Result was below the reporting limit, but at or above the MDL
- ND - indicates that the analyte was not detected at the reporting limit
- RL - Reporting Limit (Analytical)
- D - Dilution Sample required a dilution which was used to calculate final results